



SIBOLUX
HOUSEHOLD ELECTRIC FANS

CATALOGUE



SIBOLUX

✉ E-mail: info@sibolux.com

☎ Tel: 0086 757 22176806

🌐 website: www.sibolux.com

📍 Office : No.1 Chaogui NanRoad,
Ronggui Town, Shunde City, Guangdong, China


📍 Factory : No.30 Xingning South Road,
Zhongshan City, Guangdong, China

佛山市西博斯电器有限公司
Foshan Sibolux Electric Co.,Ltd.

佛山市迈谦科技有限公司
Foshan EBM Technology Co., Ltd.



Foshan Sibolux Electric Co., Ltd. has a 15-years history and is dedicated to being a leader in the field of household electric fans. Over the past 15 years, we have continuously innovated and improved product quality, earning a good reputation globally. Our factory has obtained international standard certifications such as ISO 9001 and BSCI, and our products have obtained international safety standard certifications such as GS, CE, ROHS, EMC, UKCA, SAA, ETL, IEC and G-mark report for GCC countries. As a professional household electric fan manufacturer, we believe that with our expertise and experience, we can provide customers with the best products and services. Our product line includes various types of electric fans, such as stand fans, Tower Fan, desk fans, wall-mounted fans, and other related household appliances. Our target customers are those who have high demands for quality, safety, and artistic sense. As a 15-year-old enterprise, we have always adhered to the concept of integrity, innovation, and high quality, providing customers with the best user experience. If you are looking for a trustworthy partner, Foshan Sibolux Electric Co., Ltd. will be your first choice.



FACTORY CERTIFICATE (BSCI , ISO9001)



TOWER FAN	1
BLADELESS AIR PURIFIED FAN	7
DESK FAN	9
STAND FAN	9
DC FAN	15
MIST FAN	16
METAL FAN METAL WALL FAN	17
BOX FAN	19
HIGH VELOCITY FAN	22
INDUSTRIAL FAN	25
DRUM INDUSTRIAL FAN	26
VELOCITY FLOOR FAN	28
WALL FAN	29
PLASTIC WALL FAN	30
EXHAUST FAN	31
SOLAR FAN	32
CEILING FAN	39

Tower fan is a type of vertical electric fan that is characterized by its small size, attractive design, low vibration and noise levels, powerful air flow, and bladeless design. It is easy to operate, typically coming equipped with a remote control for adjusting speed and runtime.

Tower fans are able to provide powerful ventilation while remaining safe due to their bladeless design. They offer a gentle and comfortable airflow and are suitable for use in different settings such as bedrooms, living rooms, and offices. They are lightweight and portable, making them easy to store and move around.



LIVING ROOM



OFFICE



BED ROOM



CHILDREN'S ROOM



READING ROOM



YOGA

85W BIG AIRFLOW

FT-50R 50"

POWER: 50W
1080PCS/HQ

* Anion Air Purify

High power tower fan, not afraid of heat wave. Strong winds blow away the unpleasant heat. Low noise, give you a quiet environment, blowing the wind more soft and comfortable, bladeless can avoid scratching, high safety factor, it can also be used in the gym, library and other scenes.



GYMNASIUM



YOGA



TF-2901 29"
POWER: 50W
3000PCS/HQ



TF-2902 29"
POWER: 50W
3000PCS/HQ



TF-2903 29"
POWER: 50W
3000PCS/HQ




TF-36R 36"
POWER: 50W
2420PCS/HQ




TF-4601R 46"
POWER: 50W
1685PCS/HQ



TF-3201 29"
POWER: 50W
2500PCS/HQ



TF-3203 29"
POWER: 50W
2500PCS/HQ



FT75-TX22 39"
POWER: 50W
1500PCS/HQ



FT75-TX22R 36"
POWER: 50W
1500PCS/HQ



TF-3601 36"
TF-3602 36"
POWER: 50W
1960PCS/HQ



TF-3603 40"
POWER: 45W
2240PCS/HQ



TF-3604 40"
POWER: 45W
2240PCS/HQ



TF-2904 28"
TF-2905 28"
POWER: 45W
1540PCS/HQ



TF-3605 36"
POWER: 50W
2240PCS/HQ



TF-3204 32"
POWER: 50W
3000PCS/HQ



BL-23AR 45"
POWER: 30W
680PCS/HQ


- * DC brushless motor
- * 12 speed settings
- * 3 mode settings
- * Oscillation
- * 16 hours timer
- * With touch control in the center
- * With remote control
- * ABS material
- * With ambient light
- * HEPA 13 and Active Carbon filter

Activated Carbon Filter

Multiple air purifiers, effectively removing pollutants such as formaldehyde and smoke/dust in the room

Highly Efficient Adsorption And Sterilization

Built-in HEPA 13, large adsorption capacity, high purification efficiency, and water absorption Can effectively filter PM2.5, mildew, bacteria and other particulate matter





FTJ-15 6"
POWER: 17W
8800PCS/HQ



FT-23 9"
POWER: 23W
4310PCS/HQ



FT-30 12"
POWER: 33W
2730PCS/HQ



FT-40 16"
POWER: 44W
1850PCS/HQ



OFFICE



BED ROOM



FT-1204 12"
POWER: 35W
2730PCS/HQ



FT-1205 12"
POWER: 35W
2730PCS/HQ



FT-1603 16"
POWER: 45W
1630PCS/HQ



FT-1604 16"
POWER: 45W
1630PCS/HQ



FD-40A 16"
POWER: 44W
2800PCS/HQ



FD-40R 16"
POWER: 44W
2350PCS/HQ



FD-40F21 16"
POWER: 50W
1900PCS/HQ



SSF-1601 16"
POWER: 50W
2180PCS/HQ



SSF-1602 16"
POWER: 55W
2230PCS/HQ



SSF-1603 16"
POWER: 45W
2250PCS/HQ



SSF-1608 16"
POWER: 45W
1680PCS/HQ



SSF-1609 16"
POWER: 40W
1880PCS/HQ



SSF-1610 16"
POWER: 50W
1450PCS/HQ



SSF-1611 16"
POWER: 50W
1450PCS/HQ



FS-1610 16"
POWER: 50W
2230PCS/HQ



FS-1611 16"
POWER: 50W
2230PCS/HQ



FS-1612 16"
POWER: 45W
2230PCS/HQ



FS-1613 16"
FS-1613R 16"
POWER: 45W
2230PCS/HQ



SSF-1801 18"
POWER: 55W
1500PCS/HQ



SSF-1802 18"
POWER: 75W
1400PCS/HQ



SSF-1805 18"
POWER: 50W
1200PCS/HQ



SSF-1808 18"
POWER: 70W
1550PCS/HQ



Optional:
remote control

SSF-1803 18"
POWER: 55W
1530PCS/HQ



SSF-1804 18"
POWER: 50W
1200PCS/HQ



SSF-1811 18"
POWER: 65W
1350PCS/HQ



FS-56 20"
POWER: 90W
1500PCS/HQ



FS-45 18"
POWER: 150W
1400PCS/HQ



FTD-45 18"
POWER: 100W
1580PCS/HQ



SSF-1807 18"
POWER: 85W
1530PCS/HQ

SSF-1806 18"
POWER: 85W
1530PCS/HQ



SSF-1806R 18"
POWER: 85W
1530PCS/HQ

DC Variable Frequency Motor

Different from ordinary brushless DC motor and AC motor, it is more efficient, stable and silent to realize real low noise operation.



Circulating Air



Remote Control



Low Noise



Stand & Floor Fan
2 in 1 Use



Timer setting



Oscillation



DC-1401 14"
POWER: 25W
1260PCS/HQ



DC-1602 16"
POWER: 25W
1650PCS/HQ



FSM-02 16"
POWER: 70W
1200PCS/HQ

TURBO FORCE FAN



FS-1001 10"
POWER: 75W
2900PCS/HQ



FS-1002 10"
POWER: 75W
2900PCS/HQ



FS-1003 10"
POWER: 75W
2300PCS/HQ



FSM-01 16"
POWER: 70W
1200PCS/HQ



FSM-03 18"
POWER: 80W
1000PCS/HQ



FSM-04 16"
POWER: 70W
1200PCS/HQ



FT-30MC 12"
FT-40MC 16"
POWER: 35W/50W
2390/1144PCS/HQ



FD-40MC 16"
FD-45MC 18"
POWER: 50W/60W
1490/1340PCS/HQ



FD-40MR 16"
FD-45MR 18"
POWER: 50W/60W
1490/1250PCS/HQ



FD-40ME 16"
POWER: 50W
900PCS/HQ



FD-40ME2 16"
POWER: 55W
940PCS/HQ



FD-40MDE 16"
FD-45MDE 18"
POWER: 50W/60W
1250/940PCS/HQ



FW-40M 16"
FW-45M 18"
POWER: 50W/60W
1490/1260PCS/HQ



FW-40MR 16"
FW-45MR 18"
POWER: 50W/60W
1490/1260PCS/HQ



FT-30ME2 12"
POWER: 35W
1530PCS/HQ



FD-40ME2 16"
POWER: 55W
950PCS/HQ



KYT-23 9"
POWER: 35W
6990PCS/HQ



KYT-30 12"
POWER: 50W
2750PCS/HQ



KYT-30B 12"
POWER: 40W
2750PCS/HQ



KYT-30D 12"
POWER: 50W
2750PCS/HQ



KYT-30F 12"
POWER: 50W
2750PCS/HQ



KYT-30G 12"
POWER: 50W
2750PCS/HQ



KYT-30E 12"
POWER: 45W
2750PCS/HQ



KYT-30H 12"
POWER: 45W
2750PCS/HQ



KYT-40A 16"
POWER: 50W
2100PCS/HQ



KYT-503 20"
POWER: 70W
1350PCS/HQ



KYT-50A 20"
POWER: 90W
1260PCS/HQ




Optional
remote control

KYT-50B 20"
POWER: 70W
1360PCS/HQ



KYT-501 20"
POWER: 90W
1180PCS/HQ



KYT-502 20"
POWER: 90W
1180PCS/HQ



STF-20A 8"
POWER: 35W
5300PCS/HQ



STF-20B 8"
POWER: 35W
5300PCS/HQ



KYT-504 20"
POWER: 90W
1190PCS/HQ



KYT-505 20"
POWER: 90W
1190PCS/HQ



KYT-506 20"
POWER: 90W
1190PCS/HQ



FES-50 20"
POWER: 140W
860PCS/HQ



FES-45 18"
FES-50 20"
POWER: 100W/140W
1040/900PCS/HQ



FES-45B 18"
FES-50B 20"
POWER: 100W/140W
1040/900PCS/HQ




FES-50C 20"
POWER: 140W
636PCS/HQ



EIF-750 30"
POWER: 230W
440PCS/HQ




EIF-750A 30"
POWER: 230W
350PCS/HQ



SD-18W 18"
SD-20W 20"
POWER: 100W
1120/1020PCS/HQ

WATER RESITANT



Durable Motor



3 Speed Setting




Rotary Switch



Oscilation



Overheating Protection



Up And Down




FE-45A 18"
POWER: 60W
1200PCS/HQ



SD-18FB 18"
POWER: 100W
1000PCS/HQ



FE-50B 20"
POWER: 140W
600PCS/HQ




FE-50C 20"
POWER: 140W
600PCS/HQ



FE-50D 20"
POWER: 140W
940PCS/HQ





FW-50 20"
FW-65 26"
FW-75 30"

POWER: 100W/160W/200W
710/490/390PCS/HQ



FS-50 20"
FS-65 26"
FS-75 30"

POWER: 100W/160W/200W
1000/650/500PCS/HQ



FW-50B 20"
FW-65B 26"
FW-75B 30"

POWER: 100W/160W/200W
1000/650/500PCS/HQ



FW-50C 20"
FW-65C 26"
FW-75C 30"

POWER: 100W/160W/200W
1000/650/500PCS/HQ



**42 L
WATER TANK**


IMF-650 26"
IMF-750 30"

POWER: 180W/200W
445/410PCS/HQ



SDF-24 24"
SDF-30 30"
SDF-36 36"

POWER: 250W/300W/500W
500/477/188PCS/HQ




Durable Motor



3 Speed Setting



Rotary Switch



Durable Rubber Wheel



Overheating Protection



Up And Down

Key Features

- Yellow color for visibility and safety
- Dual ball bearing motor
- All metal construction
- 4 bladed aluminum propellers
- 3 speed rotary switch setting
- Rust-resistant grilles for durability
- Durable rubber wheels for portability
- Pull Handle for easy mobility
- Adjustable pitch angle
- Backside power cord wrap for easy storage
- Automatic reset device for overheating protection
- Full assembled or disassembled as parts to ship for space saving



SDF-42 42"
SDF-48 48"

POWER: 650W/750W
159/107PCS/HQ



FS-25 10"
FS-30 12"
POWER: 55W
8500/6280PCS/HQ



FSW-45 18"
POWER: 50W/60W
1450PCS/HQ



FSW-45R 18"
POWER: 50W
1450PCS/HQ




ISF18-360 18"
POWER: 50W
1450PCS/HQ




FE-23 9"
POWER: 35W
1450PCS/HQ



FE-25 10"
FE-30 12"
FE-35A 14"
POWER: 50W/60W
3688/2055/1716PCS/HQ



FE-40A 16"
FE-45A 18"
FE-50A 20"
FE-60A 24"
POWER: 50W/60W/200W
1380/1176/910/500PCS/HQ



Dural Motor




3 Speed Setting



Rotary Switch




Overheating Protection




Up And Down




OB-40A 16"
POWER: 50W
1430PCS/HQ



FW-40 16"
FW-40R 16"
POWER: 50W
1430PCS/HQ



FW-1640 16"
POWER: 50W
1430PCS/HQ



WF-40B 16"
WF-45B 18"
POWER: 50W/70W
1360PCS/HQ



WF-40C 16"
WF-45C 18"
POWER: 50W/70W
1360PCS/HQ



WF-40D 16"
WF-45D 18"
POWER: 50W/70W
1360PCS/HQ




FW-45A 18"
POWER: 70W
1360PCS/HQ



FW-45B 18"
POWER: 70W
1360PCS/HQ



WF-40A 16"
WF-45A 18"
POWER: 50W/70W
1360PCS/HQ



WF-40E 16"
WF-45E 18"
POWER: 50W/70W
1360PCS/HQ




WF-40F 16"
WF-45F 18"
POWER: 50W/70W
1360PCS/HQ



WF-40G 16"
WF-45G 18"
POWER: 50W/70W
1360PCS/HQ



DEX200 8"
DEX250 10"
POWER: 28W/38W
4920/3680PCS/HQ



CSEX250TW 10"
POWER: 38W
3680PCS/HQ



EX25 10"
POWER: 38W
3680PCS/HQ



CSEX250TW-MA 10"
POWER: 38W
3680PCS/HQ



DETACHABLE GRILLE FOR EASY CLEANING



EASY INSTALLATION



POWERFUL LONG LIFE MOTOR





HIGH AIR EXTRACTION



RFF-12FL 12"
POWER: DC 12V 20W
2040PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs aluminum blades
- With 1.2m adapter
 - Optional choice: solar panel / clip wire
 - 360 degree tilting angle
 - Black or silver or chrome colors for choose
- Package: 435x195x390mm (1pcs/CTN)
Available size: 10"/12"/14"/16"/18"/20"



RFF-16DWM 16"
POWER: DC 12V 22W
1896PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs aluminum blades
- With 1.2m adapter
 - Optional choice: solar panel / clip wire
 - 360 degree tilting angle
 - Black or silver or chrome colors for choose
- Package: 615x425x415mm (1pcs/CTN)
Available size: 10"/12"/14"/16"/18"/20"



RFF-6RT 6"

POWER: DC 5V 6W
with 4000mA or 8000mA lithium battery
7400PCS/HQ

- Speed Setting: 4
Blade: 3pcs PP blades
- With 0.8m USB cable
- 45 degree tilting angle
- Various colors for choose
Package: 180x160x275mm/
655x375x570mm(8pcs/CTN)



RFF-8RT 8"

POWER: DC 5V
with 4400mA or 8000mA lithium battery
6160PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs Aluminum blades
- With 1.2m USB cable
- 360 degree tilting angle
- Various colors for choose
Package: 260x150x260mm/
765x535x280mm(10pcs/CTN)



RFF-10RD 10"

POWER: DC 12V 12W
with 7800mA lithium battery
3380PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
- Optional choice: solar panel/clip wire
- 360 degree tilting angle
- Various colors for choose
Package: 360x180x310mm(1pcs/CTN)

RFF-12RD 12"

POWER: DC 24V 25W
with 15600mA lithium battery
2091PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
- Optional choice: solar panel/clip wire
- 360 degree tilting angle
- Various colors for choose
Package: 430x195x395mm(1pcs/CTN)

RFF-14RD 14"

POWER: DC 24V 25W
with 15600mA lithium battery
1340PCS/HQ

- Speed Setting: Rolling for choose
Blade: 3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
- Optional choice: solar panel/clip wire
- 360 degree tilting angle
- Various colors for choose
Package: 430x195x395mm(1pcs/CTN)



Stepless Speed Regulation USB Connector Batteries



RFF-12RD-B 12"

POWER: DC 24V 25W
with 15600mA lithium battery
1670PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 270 degree tilting angle
 - Various colors for choose
- Package:450x215x420mm(1pcs/CTN)



LI-ION
Lithium battery

RFF-14RD-B 14"

POWER: DC 24V 25W
with 15600mA lithium battery
1220PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 270 degree tilting angle
 - Various colors for choose
- Package:510x225x480mm(1pcs/CTN)



RFF-10RD-B 10"

POWER: DC 12V 12W
with 7800mA lithium battery
3380PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 270 degree tilting angle
 - Various colors for choose
- Package:360x180x310mm(1pcs/CTN)

RFF-10RD-W 10"

POWER: DC 12V 12W
with 7800mA lithium battery
3380PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 360 degree tilting angle
 - Various colors for choose
- Package:360x180x310mm(1pcs/CTN)



RFF-12RD-W 12"

POWER: DC 24V 25W
with 15600mA lithium battery
1670PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 360 degree tilting angle
 - Various colors for choose
- Package:450x215x420mm(1pcs/CTN)

Rotate

LI-ION
Lithium battery

RFF-14RD-W 14"

POWER: DC 24V 25W
with 15600mA lithium battery
1220PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
 - With 1.2m adapter
 - Optional choice: solar panel/clip wire
 - 360 degree tilting angle
 - Various colors for choose
- Package:510x225x480mm(1pcs/CTN)



RFF-10RF 10"

POWER: DC 12V 12W
with 7800mA lithium battery
2960PCS/HQ


- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:390x190x310mm(1pcs/CTN)



RFF-12RF 12"

POWER: DC 24V 25W
with 15600mA lithium battery
2096PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:430x195x395mm(1pcs/CTN)




RFF-14RF 14"

POWER: DC 24V 25W
with 15600mA lithium battery
1540PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:480x210x435mm(1pcs/CTN)

LI-ION
Lithium battery



RFF-12RF-D 12"

POWER: DC 24V 25W
with 15600mA lithium battery
2960PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:430x195x395mm(1pcs/CTN)

RFF-14RF-D 14"

POWER: DC 24V 25W
with 15600mA lithium battery
1540PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:480x210x435mm(1pcs/CTN)

Rotate



RFF-16RF-D 16"

POWER: DC 24V 25W
with 15600mA lithium battery
1200PCS/HQ

- Speed Setting:Rolling for choose
Blade:3pcs aluminum blades
- With 5V USB charge output
- With 1.2m adapter
-Optional choice: solar panel/clip wire
- 360 degree tilting angle
-Various colors for choose
Package:560x210x475mm(1pcs/CTN)

Safety Feature For Ceiling Fans

Suspended System



Safety wire
Safety Wire secures the fan motor to the ceiling hook.

TECHNICAL

AC/DC motor Customization

Motor Type	AC	DC (ECO-friendly)
Speed Setting:	Three (LOW/MED/HI)	Six (1/2/3/4/5/6)
Motor Wattage:	85W/100W	55W/65W
Blade Material:	Plywood/Solid wood/Plastic	Plywood/Solid wood/Plastic
Operation:	Remote Control	Remote Control
Timer:	8 Hours	4 Hours
Reversible:	No	Yes (via remote)
Down Rob:	15cm (6")	15cm (6")
Light Type:	LED (18W/24W) 3 colors	LED (18W/24W) 3 colors

About the CCT LED Light

WARM LIGHT
Sweet romance
Build atmosphere

THE NEUTRAL LIGHT
Gentle nature
The film and television entertainment

WHITE LIGHT
Bright and comfortable
Reading books and newspapers



Plywood Blades



48-1001 / 48-1001DC
52-1001 / 52-1001DC



48-1002 / 48-1002DC
52-1002 / 52-1002DC



48-1007 / 48-1007DC
52-1007 / 52-1007DC



36-1008 / 36-1008DC



48-1015 / 48-1015DC
52-1015 / 52-1015DC



48-1016 / 48-1016DC
52-1016 / 52-1016DC





Solid Wood Blades



48-1003 / 48-1003DC
52-1003 / 52-1003DC

AC MOTOR DC MOTOR 48" 1220mm 52" 1320mm



54-1004 / 54-1004DC

AC MOTOR DC MOTOR 54" 1370mm



54-1005 / 54-1005DC

AC MOTOR DC MOTOR 54" 1370mm



54-1006 / 54-1006DC

AC MOTOR DC MOTOR 54" 1370mm



52-1009 / 52-1009DC

AC MOTOR DC MOTOR 52" 1320mm



42-1015(1) / 42-1015(1)DC
48-1015(1) / 48-1015(1)DC
52-1015(1) / 52-1015(1)DC

AC MOTOR DC MOTOR 42" 1066mm 48" 1220mm 52" 1320mm



48-1016(1) / 48-1016(1)DC
52-1016(1) / 52-1016(1)DC

AC MOTOR DC MOTOR 48" 1220mm 52" 1320mm



52-1017 / 52-1017DC

AC MOTOR DC MOTOR 52" 1320mm



48-1020 / 48-1020DC

AC MOTOR DC MOTOR 48" 1220mm



48-1016(2) / 48-1016(2)DC
52-1016(2) / 52-1016(2)DC

AC MOTOR DC MOTOR 48" 1220mm 52" 1320mm



30-1027DC / 42-1027DC

DC MOTOR 30" 762mm 42" 1066mm



52-1018 / 52-1018DC

AC MOTOR DC MOTOR 52" 1320mm



52-1019 / 52-1019DC

AC MOTOR DC MOTOR 52" 1320mm



ABS
Blades



52-1012 / 52-1012DC

AC MOTOR DC MOTOR 52" 1320mm



26-1013 / 26-1013DC
36-1013 / 36-1013DC

AC MOTOR DC MOTOR 26" 660mm 36" 914mm



52-1003(1)DC

DC MOTOR 52" 1320mm



52-1003(1)LDC

DC MOTOR 52" 1320mm



52-1010 / 52-1010DC

AC MOTOR DC MOTOR 52" 1320mm



38-1029DC / 48-1029DC

DC MOTOR 38" 965mm 48" 1220mm



42-1011 / 42-1011DC
52-1011 / 52-1011DC

AC MOTOR DC MOTOR 42" 1066mm 52" 1320mm



54-1011 / 54-1011DC

AC MOTOR DC MOTOR 54" 1370mm



42-1041 / 42-1041DC
52-1041 / 52-1041DC

AC MOTOR DC MOTOR 42" 1066mm 52" 1320mm



52-1031DC

DC MOTOR 52" 1320mm



54-1012(5) / 54-1012(5)DC

AC MOTOR DC MOTOR 54" 1370mm



42-1014 / 42-1014DC

AC MOTOR DC MOTOR 42" 1066mm



36-102801DC / 42-102801DC

DC MOTOR 36" 914mm 42" 1066mm



36-1028DC / 42-1028DC

DC MOTOR 36" 914mm 42" 1066mm



Matt Black
Plastic ABS blades black

● Matt white
Plastic ABS blades white

52-10034LDC
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades black
No Lamp kit

● Matt white
Plastic ABS blades white
No Lamp kit

52-10034DC



Matt white
ABS blades black


● Matt White
Plastic ABS blades white

52-10033LDC
18W Tri-colour LED light kit



Matt Black
Plywood blades black

42-10042DC / 48-10042DC
52-10042DC
18W Tri-colour LED light kit



Matt Black
Plywood blades black

42-10043DC / 48-10043DC
52-10043DC
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades black

42-10047DC / 52-10047DC
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades
Brown wood pattern

36-10046DC / 46-10046DC
52-10046DC
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades black

56-10126 / 56-10126M
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades
Brown wood pattern
No Lamp kit



● FINISH: Matt White

No lamp kit

46-1030NDC / 54-1030NDC



● FINISH: Matt White + Wood-grain Pattern

46-1030LDC / 54-1030LDC



29"
Matt white
Plastic PC blades lucency



42"
Matt white
Plastic ABS blades white



56"
Matt black
Plastic ABS blades black

29-10044DC / 42-10044DC
56-10044DC
18W Tri-colour LED light kit





Satin Nickel+Matt White
Plastic ABS blades_white

38-1029DC / 48-1029DC
18W Tri-colour LED light kit



Matt Black
Plastic ABS blades_black

42-1303DC / 42-1303FDC
52-1303DC / 52-1303FDC
18W Tri-colour LED light kit / without light




42-1302DC / 52-1302DC
18W Tri-colour LED light kit



Matt white
Plastic ABS blade

52-1304DC / 52-1304FDC
60-1304DC / 60-1304FDC
18W Tri-colour LED light kit / without light



Matt Black
Solid wood blade

52-1101DC / 52-1101FDC
18W Tri-colour LED light kit / without light



Matt Black
Solid wood blade

52-1102DC
18W Tri-colour LED light kit



Matt Black
Solid wood blade

52-1103FDC
Without light kit













Matt Black
Plastic ABS blades_black

30-1301DC
18W Tri-colour LED light kit




Matt white
Plastic ABS blades_white







Ceiling Fans -Plywood Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	48"	48-1001DC	55W	6	660*290*315	1008
	DC	52"	52-1001DC	55W	6	660*290*315	1008
	AC	48"	48-1001	85W	3	660*290*315	1008
	AC	52"	52-1001	85W	3	660*290*315	1008
	DC	48"	48-1002DC	55W	6	660*290*315	1008
	DC	52"	52-1002DC	55W	6	660*290*315	1008
	AC	48"	48-1002	85W	3	660*290*315	1008
	AC	52"	52-1002	100W	3	660*290*315	1008
	DC	48"	48-1007DC	55W	6	660*290*315	1008
	AC	48"	48-1007	85W	3	660*290*315	1008
	DC	52"	52-1007DC	55W	6	660*290*315	1008
	AC	52"	52-1007	100W	3	660*290*315	1008
	DC	36"	36-1008DC	55W	6	460*290*340	1400
	AC	36"	36-1008	85W	3	460*290*340	1400
	DC	48"	48-1015DC	55W	6	610*280*280	1300
	DC	52"	52-1015DC	55W	6	610*280*280	1300
	AC	48"	48-1015	85W	3	610*280*280	1300
	AC	52"	52-1015	85W	3	610*280*280	1300
	DC	48"	48-1016DC	55W	6	540*350*280	1168
	DC	52"	52-1016DC	55W	6	540*350*280	1168
	AC	48"	48-1016	85W	3	540*350*280	1168
	AC	52"	52-1016	85W	3	540*350*280	1168
	DC	42"	42-1015(1)DC	55W	6	510*280*250	1930
	DC	48"	48-1015(1)DC	55W	6	645*280*250	1376
	DC	52"	52-1015(1)DC	55W	6	645*280*250	1376
	AC	42"	42-1015(1)	85W	3	510*280*250	1930
	AC	48"	48-1015(1)	85W	3	645*280*250	1376
	AC	52"	52-1015(1)	85W	3	645*280*250	1376
	DC	48"	48-1016(1)DC	55W	6	620*340*280	1040
	DC	52"	52-1016(1)DC	55W	6	620*340*280	1040
	AC	48"	48-1016(1)	85W	3	620*340*280	1040
	AC	52"	52-1016(1)	85W	3	620*340*280	1040
	DC	30"	30-1027DC	55W	6	660*290*315	1008
	DC	42"	42-1027DC	55W	6	660*290*315	1008




Ceiling Fans -Plywood Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	48"	48-1016(2)DC	55W	6	620*340*280	1040
	DC	52"	52-1016(2)DC	55W	6	620*340*280	1040
	AC	48"	48-1016(2)	85W	3	620*340*280	1040
	AC	52"	52-1016(2)	85W	3	620*340*280	1040

















Ceiling Fans -Solid Wood Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	48"	48-1003DC	55W	6	730*290*320	910
	DC	52"	52-1003DC	55W	6	730*290*320	910
	AC	48"	48-1003	85W	3	730*290*320	910
	AC	52"	52-1003	85W	3	730*290*320	910
	DC	54"	54-1004DC	55W	6	730*330*230	896
	AC	54"	54-1004	100W	3	730*330*230	896
	DC	54"	54-1005DC	55W	6	740*360*300	780
	AC	54"	54-1005	100W	3	740*360*300	780
	DC	54"	54-1006DC	55W	6	745*370*300	672
	AC	54"	54-1006	100W	3	745*370*300	672
	DC	52"	52-1009DC	55W	6	710*330*235	1145
	AC	52"	52-1009	67W	3	710*330*235	1145


Ceiling Fans -Plastic Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	42"	42-1011DC	55W	6	610*370*350	720
	AC	42"	42-1011	85W	3	610*370*350	726
	DC	52"	52-1011DC	55W	6	620*380*370	726
	AC	52"	52-1011	100W	3	620*380*370	726
	DC	52"	52-1012DC	55W	6	620*380*370	720
	AC	52"	52-1012	100W	3	620*380*370	720
	DC	42"	42-1014DC	55W	6	610*390*350	810
	AC	42"	42-1014	85W	3	610*390*350	810




Ceiling Fans -Plastic Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	52"	52-1010DC	55W	6	690*280*310	1001
	AC	52"	52-1010	85W	3	690*280*310	1001
	DC	26"	26-1013DC	55W	6	470*315*340	1320
	DC	36"	36-1013DC	55W	6	470*315*340	1320
	AC	26"	26-1013	85W	3	470*315*340	1320
	AC	36"	36-1013	85W	3	470*315*340	1320
	DC	52"	52-1017DC	55W	6	800*355*265	752
	AC	52"	52-1017	85W	3	800*355*265	752
	DC	52"	52-1018DC	55W	6	890*360*290	684
	AC	52"	52-1018	85W	3	890*360*290	684
	DC	52"	52-1019DC	55W	6	700*280*290	1080
	AC	52"	52-1019	85W	3	700*280*290	1080
	DC	48"	48-1020DC	55W	6	660*280*310	1050
	AC	48"	48-1020	85W	3	660*280*310	1050
	DC	52"	52-1003(1)DC	38W	6	700*280*290	1080
	DC	52"	52-1013(1)LDC	85W	6	700*280*290	1080
	DC	54"	54-1012(5)DC	65W	6	650*360*370	702
	AC	54"	54-1012(5)	100W	3	650*360*370	702
	DC	54"	54-1011DC	65W	6	610*370*350	726
	AC	54"	54-1011	100W	3	610*370*350	726
	DC	36"	36-1028DC	55W	6	600*320*310	952
	DC	42"	42-1028DC	55W	6	600*320*310	833
	DC	36"	36-102801DC	55W	6	600*320*310	952
	DC	42"	42-102801DC	55W	6	600*320*310	833
	DC	38"	38-1029DC	55W	6	660*290*315	1008
	DC	48"	48-1029DC	55W	6	660*290*315	1008
	DC	46"	46-1030NDC	55W	6	800*320*270	800
	DC	54"	54-1030NDC	55W	6	900*320*270	728
	DC	46"	46-1030LDC	55W	6	800*320*270	800
	DC	54"	54-1030LDC	55W	6	900*320*270	728
	DC	52"	52-1031DC	55W	6	670*300*200	1474

Ceiling Fans -Plastic Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	42"	42-1041DC	65W	6	615*395*280	872
	DC	52"	52-1041DC	65W	6	615*395*280	872
	AC	42"	42-1041	85W	3	615*395*280	872
	AC	52"	52-1041	85W	3	615*395*280	872

Ceiling Fans -Retractable Blades

	Motor Type	Blade Size	Model	Motor Watt	Speed	Carton Size(cm)	40'GP
	DC	36"	Y36-5001DC	65W	6	550*550*300	1060
	AC	36"	Y36-5001	85W	3	550*550*300	1060
	DC	42"	Y42-5002DC	65W	6	550*550*300	672
	AC	42"	Y42-5002	85W	3	550*550*300	672
	DC	42"	Y42-5003DC	65W	6	550*550*300	672
	AC	42"	Y42-5003	85W	3	550*550*300	672
	DC	42"	Y42-5006DC	65W	6	550*550*300	672
	AC	42"	Y42-5006	85W	3	550*550*300	672
	DC	42"	Y42-5007DC	65W	6	550*550*300	672
	AC	42"	Y42-5007	85W	3	550*550*300	672
	DC	42"	Y42-5008DC	65W	6	550*550*300	672
	AC	42"	Y42-5008	85W	3	550*550*300	672
	DC	42"	Y42-5009DC	65W	6	550*550*300	672
	AC	42"	Y42-5009	85W	3	550*550*300	672
	DC	42"	Y42-5012DC	65W	6	550*550*300	672
	AC	42"	Y42-5012	85W	3	550*550*300	672
	DC	46"	YF46-5003DC	65W	6	560*560*360	588
	AC	46"	YF46-5003	100W	3	560*560*360	588